

W.H.P.M., INC.

**SAFETY DATA SHEET**

Doc. No.: RMSMAILER

Version No.: 5.0

**TITLE: SDS FOR FECAL OCCULT BLOOD TEST MAILER SERIES**

Page 1 of 4

---

**Section 1: Product and Company Identification**

---

Product Name: Hemosure<sup>®</sup> Immunological Fecal Occult Blood Test  
Pre-packed Mailer Kit with Sample Collection Tubes

Catalog Number: DUO-CM10, PREPACK-CM25, T1-CM50, TRIO-CM50,  
DUO-WM20, PREPACK-WM20, PREPACK-WM100

Company: Hemosure, Inc.  
Street Address: 5358 Irwindale Ave.  
City, State, Zip, Country: Irwindale, CA 91706 USA  
Telephone Number: 626-443-8480  
Fax Number: 626-443-8065

Effective Date: 06/16/2015

---

**Section 2: Hazards Identification**

---

Emergency Overview: NOT HAZARDOUS  
Test Cassettes: Lead and other heavy metals not used in/on device.  
Sample Collection Tubes: Phosphate buffered saline (PBS) preserved.

---

**Section 3: Composition/Information on Ingredients**

---


Return mailer with specimen pouch inside.  
Plastic tube filled with buffer solution.  
Contain no hazardous substances in reportable quantities.

---

**Section 4: First-Aid Measures**

---

First Aid Procedures: Skin Contact - Wash skin with soap and water.  
Eye Contact - Wash eyes immediately with large amounts of water, occasionally lifting upper and lower lids. Get medical attention immediately.  
Ingestion - Rinse mouth with water, drink 2-4 cups of water and seek medical attention.



W.H.P.M., INC.

**SAFETY DATA SHEET**

Doc. No.: RMSMAILER

Version No.: 5.0

**TITLE: SDS FOR FECAL OCCULT BLOOD TEST MAILER SERIES**

Page 2 of 4

---

**Section 5: Fire Fighting Measures**

Use extinguishing measures (water spray, alcohol resistant foam, dry chemical or carbon dioxide) as appropriate for plastic and paper.

---

**Section 6: Accidental Release Measures**

Spilled buffer solution needs to be wipe up directly and clean the area.

---

**Section 7: Handling and Storage**

Handle using normal laboratory procedures and protective gloves are required.  
Store sealed at temperature indicated on package. Do not freeze.  
More extreme conditions do not present safety hazard.

---

**Section 8: Exposure Controls/Personal Protection**

Applicable PPE for work environment:

**Hand protection**

Handle with standard laboratory rubber or latex gloves.

**Skin and body protection**

A laboratory coat or apron is recommended.

**Hygiene measures**


Avoid contact with skin, eyes and clothing.

Wash hands before breaks and immediately after handling the product.

---

**Section 9: Physical and Chemical Properties**

Appearance	Return Mailer	Specimen Pouch	Buffer Solution
<b>Physical Properties</b>	Odorless, solid	Odorless, clear, solid	Odorless, colorless, liquid
<b>Other (boiling point, solubility, pH, etc.)</b>	N/A	N/A	Boiling point – 100°C pH – Unknown Density – 1.0 mg/mL



W.H.P.M., INC.

**SAFETY DATA SHEET**

Doc. No.: RMSMAILER

Version No.: 5.0

**TITLE: SDS FOR FECAL OCCULT BLOOD TEST MAILER SERIES**

Page 3 of 4

---

**Section 10: Stability and Reactivity**

---

Stability:	Stable under normal conditions of use and storage
Reactivity:	No dangerous reactions known for buffer tubes. See insert or Certificate of Analysis for use of individual product.
Hazardous Polymerization:	Will not occur
Hazardous Decomposition:	Will not occur
Incompatibility with other Materials:	No data available

---

**Section 11: Toxicological Information**

---

Primary Route of Exposure:	Skin absorption, eye contact and ingestion
Effect of Acute Exposure:	Maybe harmful if ingested or absorbed through skin or eyes
Effect of Chronic Exposure:	No data available
Skin Sensitization:	No data available
Carcinogenicity:	None of the ingredients are listed with IARA, NTP or OSHA

---

**Section 12: Ecological Information**

---

No further information available.

---

**Section 13: Disposal Considerations**

---

Buffer tube itself may be disposed as solid waste.  
Buffer tube with patient samples should be handled as potentially bio-hazardous materials in accordance with federal, state and local regulations.

---

**Section 14: Transport Information**

---

Proper Shipping Name: Not applicable  
Not hazardous for transport.



W.H.P.M., INC.

SAFETY DATA SHEET

Doc. No.: RMSMAILER

Version No.: 5.0

TITLE: SDS FOR FECAL OCCULT BLOOD TEST MAILER SERIES

Page 4 of 4

---

**Section 15: Regulatory Information**

---

Not restricted for safety reasons.

---

**Section 16: Other Information**

---

The above information is believed to be correct but is not intended to be all-inclusive and shall be used only as a guide. Hemosure, Inc. makes no warranty, express or implied, and assumes no liability for any damage resulting from the information contained above. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.